NO SHOTS, NO SCHOOL!

All students attending DC public, charter, private and parochial schools must have their immunizations updated before the next school year begins.

LET'S HAVE EVERY CHILD IMMUNIZED AGAIN THIS SCHOOL YEAR!

Call today to ask your child's doctor about new shots that may be required.



DISTRICT OF COLUMBIA IMMUNIZATION REQUIREMENTS SCHOOL YEAR 2018 – 2019¹

All students attending school in the District of Columbia must present proof of appropriately spaced immunizations by the first day of school.

A Child 2 years or older entering PRESCHOOL OR HEAD START	 4 Diphtheria/Tetanus/Pertussis (DTaP) 3 Polio 1 Varicella (chickenpox) – if no history of disease² 1 Measles, Mumps & Rubella (MMR) 3 Hepatitis B 2 Hepatitis A 3 or 4 Hib (Haemophilus Influenza Type B)³ 4 PCV (Pneumococcal)
A student 4 years old entering PRE-KINDERGARTEN	 5 Diphtheria/Tetanus/Pertussis (DTaP) 4 Polio 2 Varicella (chickenpox) – if no history of disease² 2 Measles, Mumps & Rubella (MMR) 3 Hepatitis B 2 Hepatitis A 3 or 4 Hib (Haemophilus Influenza Type B)³ 4 PCV (Pneumococcal)
KINDERGARTEN THRU	5 Diphtheria/Tetanus/Pertussis (DTaP) 4 Polio 2 Varicella (chickenpox) – if no history of disease ² 2 Measles, Mumps & Rubella (MMR) 3 Hepatitis B 2 Hepatitis A (if born on or after 01/01/05)
SIXTH THRU	 5 Diphtheria/Tetanus/Pertussis (DTaP/Td) 1 Tdap 4 Polio 2 Varicella (chickenpox) – if no history of disease² 2 Measles, Mumps & Rubella (MMR) 3 Hepatitis B 1 Meningococcal (Men ACWY)⁴ 2 or 3 Human Papillomavirus Vaccine (HPV)⁵ in grades 6 thru 12 or parent may sign approved vaccine refusal form available at dchealth.dc.gov

1 At all ages and grades, the number of doses required varies by a child's age and how long ago they were vaccinated. Please check with your child's school nurse or health care provider for details.

2 All Varicella/chickenpox disease histories MUST be verified/diagnosed by a health care provider (MD, NP, PA, RN) and documentation MUST include the month and year of disease.

3 The number of doses is determined by brand used.

4 Quadrivalent Meningococcal (MenACWY). Dose #1 at 11-12 years of age is required. A booster dose is recommended at 16 years of age.

5 Two (2) doses if student receives first dose between 9 and 14 years of age with doses separated by 6-12 months. Three (3) doses if student starts series on or after 15 years of age.

CONNECT WITH US 899 North Capitol Street, NE Washington, DC 20002 Phone: (202) 442-5955 Fax: (202) 442-4795 TTY: 711 dchealth.dc.gov

